### Stroke Alliance for Europe – needs of stroke survivors and carers scoping review References by section of the lay version of the report

### Individual

### **Body functions**

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Knapp, P., et al., Frequency of anxiety after stroke: An updated systematic review and meta-analysis of observational studies. Int J Stroke, 2020. 15(3): p. 244-255.

Hackett, M.L. and K. Pickles, Part I: frequency of depression after stroke: an updated systematic review and meta-analysis of observational studies. International Journal of Stroke, 2014. 9(8): p. 1017-1025.

Stangeland, H., V. Orgeta, and V. Bell, Poststroke psychosis: a systematic review. Journal of Neurology, Neurosurgery & amp; Psychiatry, 2018. 89: p. 879-885.

Bartoli, F., et al., Rates and correlates of suicidal ideation among stroke survivors: a meta-analysis. Journal of neurology, neurosurgery, and psychiatry, 2017. 88(6): p. 498-504.

Esposito, E., G. Shekhtman, and P. Chen, Prevalence of spatial neglect post-stroke: A systematic review. Annals of Physical and Rehabilitation Medicine, 2021. 64(5): p. 101459.

Pollock, A., et al., Interventions for visual field defects in people with stroke. The Cochrane database of systematic reviews, 2019. 5: p. CD008388.

Liampas, A., et al., Prevalence and management challenges in central post-stroke neuropathic pain: A systematic review and meta-analysis. Advances in therapy, 2020. 37: p. 3278-3291.

Flowers, H.L., et al., Poststroke aphasia frequency, recovery, and outcomes: a systematic review and meta-analysis. Archives of physical medicine and rehabilitation, 2016. 97(12): p. 2188-2201. e8.

Zeng, H., et al., Prevalence and Risk Factors for Spasticity After Stroke: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2021. 11(1884).

Su, Y., M. Yuki, and M. Otsuki, Prevalence of stroke-related sarcopenia: A systematic review and meta-analysis. Journal of Stroke and Cerebrovascular Diseases, 2020. 29(9): p. 105092.57

Lai, J., et al., A Narrative Review of Persistent Post-Stroke Headache–A New Entry in the International Classification of Headache Disorders. Headache: The Journal of Head and Face Pain, 2018. 58(9): p. 1442-1453.

Mehdi, Z., J. Birns, and A. Bhalla, Post-stroke urinary incontinence. International Journal of Clinical Practice, 2013. 67(11): p. 1128-1137.

Zhao, S., et al., Significant Increase of Erectile Dysfunction in Men With Post-stroke: A Comprehensive Review. Frontiers in neurology, 2021. 12: p. 671738-671738.62

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Stroke Association, Stroke recoveries at risk: How the COVID-19 pandemic has affected stroke survivors' lives and recoveries. 2020.

#### References by section of the lay version of the report

Hoffmann, T., et al., Occupational therapy for cognitive impairment in stroke patients. Cochrane Database of Systematic Reviews, 2010(9).

das Nair, R., et al., Cognitive rehabilitation for memory deficits after stroke. Cochrane Database of Systematic Reviews, 2016(9).

Knapp, P., et al., Interventions for treating anxiety after stroke. The Cochrane database of systematic reviews, 2017. 5: p. CD008860.

Allida, S., et al., Pharmacological, psychological, and non-invasive brain stimulation interventions for treating depression after stroke. Cochrane Database of Systematic Reviews, 2020(1).

Allida, S., et al., Pharmaceutical interventions for emotionalism after stroke. Cochrane Database of Systematic Reviews, 2019(3).

Longley, V., et al., Non-pharmacological interventions for spatial neglect or inattention following stroke and other non-progressive brain injury. Cochrane Database of Systematic Reviews, 2021(7).

Chung, C.S.Y., et al., Cognitive rehabilitation for executive dysfunction in adults with stroke or other adult non-progressive acquired brain damage. Cochrane Database of Systematic Reviews, 2013(4).

Pollock, A., et al., Interventions for disorders of eye movement in patients with stroke. Cochrane Database of Systematic Reviews, 2011(10).

Saunders, D.H., et al., Physical fitness training for stroke patients. Cochrane Database of Systematic Reviews, 2020(3).

Bath, P.M., H.S. Lee, and L.F. Everton, Swallowing therapy for dysphagia in acute and subacute stroke. Cochrane Database of Systematic Reviews, 2018(10).

Thomas, L.H., et al., Interventions for treating urinary incontinence after stroke in adults. Cochrane Database of Systematic Reviews, 2019(2).90

Cheng, D., et al., Motivational interviewing for improving recovery after stroke. Cochrane Database Syst Rev, 2015. 2015(6): p. Cd011398.

Lawrence, M., Young adults' experience of stroke: a qualitative review of the literature. British Journal of Nursing, 2010. 19(4): p. 241-248.

Desmond, D.W., et al., Disorientation following stroke: Frequency, course, and clinical correlates. Journal of Neurology, 1994. 241(10): p. 585-591.

Saa, J.P., et al., Longitudinal evaluation of cognition after stroke – A systematic scoping review. PLOS ONE, 2019. 14(8): p. e0221735.

Sexton, E., et al., Systematic review and meta-analysis of the prevalence of cognitive impairment no dementia in the first year post-stroke. European stroke journal, 2019. 4(2): p. 160-171.

Hickey, A., et al., Psychological interventions for managing cognitive impairment after stroke. The Cochrane Database of Systematic Reviews, 2019. 2019(8).

Caeiro, L., J.M. Ferro, and J. Costa, Apathy Secondary to Stroke: A Systematic Review and Metanalysis. Cerebrovascular Diseases, 2013. 35(1): p. 23-39.

Sharma, S. and A. Culebras, Sleep apnoea and stroke. Stroke and vascular neurology, 2016. 1(4).

#### References by section of the lay version of the report

Baylan, S., et al., Incidence and prevalence of post-stroke insomnia: A systematic review and metaanalysis. Sleep Medicine Reviews, 2020. 49: p. 101222.

Hasan, F., et al., Dynamic Prevalence of Sleep Disorders Following Stroke or Transient Ischemic Attack. Stroke, 2021. 52(2): p. 655-663.

Seiler, A., et al., Prevalence of sleep-disordered breathing after stroke and TIA. Neurology, 2019. 92: p. e648-e654.

Aaronson, J.A., et al., Obstructive Sleep Apnea is Related to Impaired Cognitive and Functional Status after Stroke. Sleep, 2015. 38(9): p. 1431-1437.

Ford, M.E., et al., Non-pharmacological treatment for insomnia following acquired brain injury: A systematic review. Sleep Medicine Reviews, 2020. 50: p. 101255.

Cherry, K. How psychologists define attention. 2021 27th February 2022.

Snaphaan, L. and F.-E. de Leeuw, Poststroke memory function in nondemented patients: a systematic review on frequency and neuroimaging correlates. Stroke, 2007. 38(1): p. 198-203.

Verberne, D.P.J., P.J.J. Spauwen, and C.M. van Heugten, Psychological interventions for treating neuropsychiatric consequences of acquired brain injury: A systematic review. Neuropsychological Rehabilitation, 2019. 29(10): p. 1509-1542.

Lau, C.G., et al., Poststroke agitation and aggression and social quality of life: a case control study. Topics in Stroke Rehabilitation, 2017. 24(2): p. 126-133.

Bartoli, F., et al., Depression after Stroke and Risk of Mortality: A Systematic Review and Meta-Analysis. Stroke Research and Treatment, 2013. 2013: p. 862978.

Vallury, K.D., M. Jones, and R. Gray, Do family-oriented interventions reduce poststroke depression? A systematic review and recommendations for practice. Topics in stroke rehabilitation, 2015. 22(6): p. 453-459.

Mou, H., M.S. Wong, and W.T. Chien, Effectiveness of dyadic psychoeducational intervention for stroke survivors and family caregivers on functional and psychosocial health: A systematic review and meta-analysis. International Journal of Nursing Studies, 2021: p. 103969.

Minshall, C., et al., Psychosocial interventions for stroke survivors, carers and survivor-carer dyads: a systematic review and meta-analysis. Topics in Stroke Rehabilitation, 2019. 26(7): p. 554-564.

Wan, X., et al., Effects of peer support interventions on physical and psychosocial outcomes among stroke survivors: A systematic review and meta-analysis. International journal of nursing studies, 2021. 121: p. 104001.

Chen, X., et al., Prevalence of suicidal ideation among stroke survivors: A systematic review and meta-analysis. Topics in stroke rehabilitation, 2021. 28(7): p. 545-555.

Pompili, M., et al., Suicide in stroke survivors: epidemiology and prevention. Drugs & aging, 2015. 32(1): p. 21-29.

Alias, A., et al., Suicide in obstructive lung, cardiovascular and oncological disease. Preventive medicine, 2021. 152(Pt 1): p. 106543.

#### References by section of the lay version of the report

McAleese, N., et al., Post-stroke emotionalism: a qualitative investigation. Disability and Rehabilitation, 2021. 43(2): p. 192-200.

Matichuk, N. and L. Brekke, Anosognosia and rehabilitation: Definitions, practice implications, and directions for future research. Health Professional Student Journal, 2016. 1(3).

Ogourtsova, T., et al., Virtual reality treatment and assessments for post-stroke unilateral spatial neglect: A systematic literature review. Neuropsychological Rehabilitation, 2017. 27(3): p. 409-454.

Kapoor, A., et al., Symptoms of depression and cognitive impairment in young adults after stroke/transient ischemic attack. Psychiatry Research, 2019. 279: p. 361-363.

Hayes, S., C. Donnellan, and E. Stokes, Executive dysfunction post-stroke: an insight into the perspectives of physiotherapists. Disability and Rehabilitation, 2015. 37(20): p. 1817-1824.

Motta, K., H. Lee, and T. Falkmer, Post-stroke driving: Examining the effect of executive dysfunction. Journal of Safety Research, 2014. 49: p. 33.e1-38.

Rowe, F.J., Stroke survivors' views and experiences on impact of visual impairment. Brain and Behavior, 2017. 7(9): p. e00778.

Rowe, F., et al., Care provision and unmet need for post stroke visual impairment. The Stroke Association, 2013.

Hepworth, L.R. and F.J. Rowe, Visual impairment following stroke-the impact on quality of life: a systematic review. Ophthalmology Research: an international journal, 2016: p. 1-15.

Hanna, K.L., L.R. Hepworth, and F.J. Rowe, The treatment methods for post-stroke visual impairment: A systematic review. Brain and behavior, 2017. 7(5): p. e00682.

Hughes, C.M.L., et al., Upper Extremity Proprioception in Healthy Aging and Stroke Populations, and the Effects of Therapist- and Robot-Based Rehabilitation Therapies on Proprioceptive Function. Frontiers in Human Neuroscience, 2015. 9(120).

Ioannou, A., Carin-Levy, G., Cheyne, J. D., Clarke, D., Cowey, E., Fallon, M., Morton, S., Klinkhamer, L., Kyriakou, G., Fleetwood-Walker, S., Quinn, T., Rush, R., Sande, T., Smith, M., Whalley-Sibley, H., Woodfield, R. & Mead, G. Incidence, types and nature of post-stroke pain: Systematic review of literature and meta-analysis [Protocol]. 2018; Available from: https://www.crd.york.ac.uk/prospero/display\_record.php?ID=CRD42018114940.

Mulla, S.M., et al., Management of Central Poststroke Pain. Stroke, 2015. 46(10): p. 2853-2860.

Zhang, Q., et al., Incidence and Prevalence of Poststroke Shoulder Pain Among Different Regions of the World: A Systematic Review and Meta-Analysis. Frontiers in neurology, 2021. 12: p. 724281-724281.

Chau, J.P.C., et al., Effects of Acupuncture on the Recovery Outcomes of Stroke Survivors with Shoulder Pain: A Systematic Review. Frontiers in Neurology, 2018. 9(30).

Brittain, K.R. and C. Shaw, The social consequences of living with and dealing with incontinence - A carers perspective. Social Science & Medicine, 2007. 65(6): p. 1274-1283.

Tapia, C.I., et al., Health-related quality of life and economic impact of urinary incontinence due to detrusor overactivity associated with a neurologic condition: a systematic review. Health and Quality of Life Outcomes, 2013. 11.

#### References by section of the lay version of the report

Gibson, J.M., et al., Stroke survivors' and carers' experiences of a systematic voiding programme to treat urinary incontinence after stroke. J Clin Nurs, 2018. 27(9-10): p. 2041-2051.

Stein, J., et al., Sexuality after stroke: patient counseling preferences. Disability and Rehabilitation, 2013. 35(21): p. 1842-1847.

Allison, R., et al., Incidence, Time Course and Predictors of Impairments Relating to Caring for the Profoundly Affected arm After Stroke: A Systematic Review. Physiotherapy Research International, 2016. 21(4): p. 210-227.

Knight, R.L., D.H. Saunders, and G. Mead, Maximal muscle power after stroke: a systematic review. Clinical Practice, 2014. 11(2): p. 183.

### **Secondary conditions**

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Denissen, S., et al., Interventions for preventing falls in people after stroke. Cochrane Database of Systematic Reviews, 2019(10).

Wu, S., et al., Interventions for post-stroke fatigue. Cochrane Database of Systematic Reviews, 2015(7).

Xu, T., et al., Risk Factors for Falls in Community Stroke Survivors: A Systematic Review and Meta-Analysis. Arch Phys Med Rehabil, 2018. 99(3): p. 563-573.e5.

Duncan, F., S. Wu, and G.E. Mead, Frequency and natural history of fatigue after stroke: A systematic review of longitudinal studies. Journal of Psychosomatic Research, 2012. 73(1): p. 18-27.

Shepherd, A.I., et al., Physical activity, sleep, and fatigue in community dwelling Stroke Survivors. Scientific Reports, 2018. 8.

Almhdawi, K.A., et al., Post-stroke fatigue level is significantly associated with mental health component of health-related quality of life: a cross-sectional study. Quality of Life Research, 2021. 30(4): p. 1165-1172.

Andersen, G., et al., Post-stroke fatigue and return to work: a 2-year follow-up. Acta Neurologica Scandinavica, 2012. 125(4): p. 248-253.

Rutkowski, N.A., E. Sabri, and C. Yang, Post-stroke fatigue: A factor associated with inability to return to work in patients <60 years-A 1-year follow-up. Plos One, 2021. 16(8).

White, J.H., et al., Exploring the experience of post-stroke fatigue in community dwelling stroke survivors: a prospective qualitative study. Disabil Rehabil, 2012. 34(16): p. 1376-84.

Eilertsen, G., H. Ormstad, and M. Kirkevold, Experiences of poststroke fatigue: qualitative metasynthesis. Journal of Advanced Nursing, 2013. 69(3): p. 514-525.

#### References by section of the lay version of the report Activity and participation

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Guo, Y., et al., The Unmet Needs of Community-Dwelling Stroke Survivors: A Systematic Review of Qualitative Studies. Int J Environ Res Public Health, 2021. 18(4).

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Saunders, D.H., et al., Physical fitness training for stroke patients. Cochrane Database of Systematic Reviews, 2020(3).

Mehrholz, J., et al., Electromechanical and robot-assisted arm training for improving activities of daily living, arm function, and arm muscle strength after stroke. Cochrane Database of Systematic Reviews, 2018(9).

Lynch, E.A., et al., Activity monitors for increasing physical activity in adult stroke survivors. Cochrane Database Syst Rev, 2018. 7(7): p. Cd012543.

George, S., et al., Rehabilitation for improving automobile driving after stroke. Cochrane Database of Systematic Reviews, 2014(2): p. N.PAG-N.PAG.

Alias, A., et al., Suicide in obstructive lung, cardiovascular and oncological disease. Preventive medicine, 2021. 152(Pt 1): p. 106543.

Baylan, S., et al., Participants' experiences of music, mindful music, and audiobook listening interventions for people recovering from stroke. Annals of the New York Academy of Sciences, 2018. 1423(1): p. 349-359.

Baylan, S., et al., The effects of music listening interventions on cognition and mood post-stroke: a systematic review. Expert review of neurotherapeutics, 2016. 16(11): p. 1241-1249.

Wray, F. and D. Clarke, Longer-term needs of stroke survivors with communication difficulties living in the community: a systematic review and thematic synthesis of qualitative studies. BMJ Open, 2017. 7(10): p. e017944.

Allen, L., et al., Therapeutic interventions for aphasia initiated more than six months post stroke: a review of the evidence. Topics in stroke rehabilitation, 2012. 19(6): p. 523-535.

Anaki, D., et al., Restoring one's language edifice: A case study of long-term effects of intensive aphasia therapy employing cognitive modifiability strategies. Neurorehabilitation, 2016. 39(1): p. 3-17.

Rose, M.L., et al., A systematic review of gesture treatments for post-stroke aphasia. Aphasiology, 2013. 27(9): p. 1090-1127.

Russo, M.J., et al., High-technology augmentative communication for adults with post-stroke aphasia: a systematic review. Expert review of medical devices, 2017. 14(5): p. 355-370.

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. Journal of Stroke & Cerebrovascular Diseases, 2020. 29(8): p. N.PAG-N.PAG.

#### References by section of the lay version of the report

Wesselhoff, S., T.A. Hanke, and C.C. Evans, Community mobility after stroke: a systematic review. Topics in stroke rehabilitation, 2018. 25(3): p. 224-238.

American Occupational Therapy Association, The Occupational Therapy Role in Driving and Community Mobility Across the Lifespan. 2012. p. https://www.aota.org/about-occupationaltherapy/professionals/cy/driving-across-lifespan.aspx.

Wolfenden, B. and M. Grace, Returning to work after stroke: a review. International Journal of Rehabilitation Research, 2009. 32(2): p. 93-97.

Guzik, A., et al., Return to work after stroke and related factors in Poland and abroad: A literature review. Work, 2020. 65: p. 447-462.

Edwards, J.D., et al., Return to work after young stroke: A systematic review. International Journal of Stroke, 2018. 13(3): p. 243-256.

Wei, X.J., X.F. Liu, and K.N.K. Fong, Outcomes of return-to-work after stroke rehabilitation: A systematic review. British Journal of Occupational Therapy, 2016. 79(5): p. 299-308.

Tornbom, K., J. Lundalv, and K.S. Sunnerhagen, Long-term participation 7-8 years after stroke: Experiences of people in working-age. Plos One, 2019. 14(3).

Maaijwee, N., et al., Long-term increased risk of unemployment after young stroke A long-term follow-up study. Neurology, 2014. 83(13): p. 1132-1138.

Harris, C., Return to Work After Stroke A Nursing State of the Science. Stroke, 2014. 45(9): p. E174-E176.

Hartke, R.J. and R. Trierweiler, Survey of survivors' perspective on return to work after stroke. Topics in Stroke Rehabilitation, 2015. 22(5): p. 326-334.

Gilworth, G., et al., Personal experiences of returning to work following stroke: An exploratory study. Work, 2009. 34: p. 95-103.

Balasooriya-Smeekens, C., et al., Barriers and facilitators to staying in work after stroke: insight from an online forum. BMJ Open, 2016. 6.

Brouns, R., et al., Interventions to promote work participation after ischaemic stroke: A systematic review. Clinical Neurology and Neurosurgery, 2019. 185.

Radford, K., et al., Describing Return to Work after Stroke: A Feasibility Trial of 12-month Outcomes. J Rehabil Med, 2020. 52(4): p. jrm00048.

Zhang, J., et al., Post-stroke medication adherence and persistence rates: a meta-analysis of observational studies. Journal of neurology, 2019: p. 1-9.

Lawrence, M., et al., An exploration of lifestyle beliefs and lifestyle behaviour following stroke: findings from a focus group study of patients and family members. BMC Family Practice, 2010. 11(1): p. 97.

Deijle, I.A., et al., Lifestyle Interventions to Prevent Cardiovascular Events After Stroke and Transient Ischemic Attack. Stroke, 2017. 48(1): p. 174-179.

Lawrence, M., et al., Multimodal Secondary Prevention Behavioral Interventions for TIA and Stroke: A Systematic Review and Meta-Analysis. PLOS ONE, 2015. 10(3): p. e0120902.

### References by section of the lay version of the report

Field, M.J., et al., Physical activity after stroke: a systematic review and meta-analysis. International Scholarly Research Notices, 2013. 2013.

Morris, J.H., S. MacGillivray, and S. McFarlane, Interventions to Promote Long-Term Participation in Physical Activity After Stroke: A Systematic Review of the Literature. Archives of Physical Medicine and Rehabilitation, 2014. 95(5): p. 956-967.

Nicholson, S., et al., A systematic review of perceived barriers and motivators to physical activity after stroke. Int J Stroke, 2013. 8(5): p. 357-64.

Espernberger, K.R., N.A. Fini, and C.L. Peiris, Personal and social factors that influence physical activity levels in community-dwelling stroke survivors: A systematic review of qualitative literature. Clin Rehabil, 2021. 35(7): p. 1044-1055.

Morris, J.H., et al., From physical and functional to continuity with pre-stroke self and participation in valued activities: a qualitative exploration of stroke survivors', carers' and physiotherapists' perceptions of physical activity after stroke. Disability and rehabilitation, 2015. 37(1): p. 64-77.

Dearborn, J.L., V.C. Urrutia, and W.N. Kernan, The case for diet: a safe and efficacious strategy for secondary stroke prevention. Frontiers in neurology, 2015. 6: p. 1.

Zielińska-Nowak, E., et al., Nutritional Supplements and Neuroprotective Diets and Their Potential Clinical Significance in Post-Stroke Rehabilitation. Nutrients, 2021. 13(8): p. 2704.

English, C., et al., The role of diet in secondary stroke prevention. The Lancet Neurology, 2021. 20(2): p. 150-160.

Edjoc, R.K., R.D. Reid, and M. Sharma, The effectiveness of smoking cessation interventions in smokers with cerebrovascular disease: a systematic review. BMJ Open, 2012. 2.

Parikh, N.S., et al., Smoking-cessation pharmacotherapy for patients with stroke and TIA: Systematic review. Journal of Clinical Neuroscience, 2020. 78: p. 236-241.

Vyas, M.V., et al., Association Between Stroke and Subsequent Risk of Suicide: A Systematic Review and Meta-Analysis. Stroke (00392499), 2021. 52(4): p. 1460-1464.

Hackett, M.L., et al., Stroke survivors who score below threshold on standard depression measures may still have negative cognitions of concern. Stroke, 2010. 41(3): p. 478-481.

World Health Organization, Preventing suicide: A global imperative. 2014: World Health Organization.

Rapoport, M.J., et al., A systematic review of the risk of motor vehicle collision after stroke or transient ischemic attack. Topics in Stroke Rehabilitation, 2019. 26(3): p. 226-235.

#### Aspirational and transformative

Guo, Y., et al., The Unmet Needs of Community-Dwelling Stroke Survivors: A Systematic Review of Qualitative Studies. Int J Environ Res Public Health, 2021. 18(4).

Wray, F. and D. Clarke, Longer-term needs of stroke survivors with communication difficulties living in the community: a systematic review and thematic synthesis of qualitative studies. BMJ Open, 2017. 7(10): p. e017944.

Kassberg, A.-C., A. Nyman, and M. Larsson Lund, Perceived occupational balance in people with stroke. Disability & Rehabilitation, 2021. 43(4): p. 553-558.

### References by section of the lay version of the report

Ezekiel, L., et al., Factors Associated With Participation in Life Situations for Adults With Stroke: A Systematic Review. Archives of physical medicine and rehabilitation, 2019. 100(5): p. 945-955.

Niemi, T. and U. Johansson, The lived experience of engaging in everyday occupations in persons with mild to moderate aphasia. Disability and rehabilitation, 2013. 35(21): p. 1828-1834.

Masterson-Algar, P., et al., Getting back to life after stroke: co-designing a peer-led coaching intervention to enable stroke survivors to rebuild a meaningful life after stroke. Disability and rehabilitation, 2020. 42(10): p. 1359-1372.

Wijekoon, S., et al., Experiences of Occupational Performance in Survivors of Stroke Attending Peer Support Groups. Canadian Journal of Occupational Therapy, 2020. 87(3): p. 173-181.

Lund, A., M. Melhus, and U. Sveen, Enjoyable company in sharing stroke experiences; - lifestyle groups after stroke. Scandinavian Journal of Occupational Therapy, 2018. 25(2): p. 127-135.

Lo, T.L.T., J.L.C. Lee, and R.T.H. Ho, Creative Arts-Based Therapies for Stroke Survivors: A Qualitative Systematic Review. Frontiers in Psychology, 2019. 9(1646).

### **Relationships**

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Harris, G.M. and J.P. Bettger, Parenting after stroke: a systematic review. Topics in Stroke Rehabilitation, 2018. 25(5): p. 384-392.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Guo, Y., et al., The Unmet Needs of Community-Dwelling Stroke Survivors: A Systematic Review of Qualitative Studies. Int J Environ Res Public Health, 2021. 18(4).

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Stroke Association, Feeling overwhelmed: the emotional impact of stroke. Stroke Association, 2013.

Stratton, H., et al., Interventions for sexual dysfunction following stroke. Cochrane Database of Systematic Reviews, 2020(5).

Stein, J., et al., Sexuality after stroke: patient counseling preferences. Disability and Rehabilitation, 2013. 35(21): p. 1842-1847.

Anderson, S. and N. Keating, Marriage after the transition to stroke: a systematic review. Ageing and Society, 2018. 38(11): p. 2241-2279.

Ekstam, L., K. Tham, and L. Borell, Couples' approaches to changes in everyday life during the first year after stroke. Scandinavian Journal of Occupational Therapy, 2011. 18(1): p. 49-58.

McGrath, M., et al., How is sexuality after stroke experienced by stroke survivors and partners of stroke survivors? A systematic review of qualitative studies. Clin Rehabil, 2019. 33(2): p. 293-303.

Kitzmüller, G., K. Asplund, and T. Häggström, The Long-Term Experience of Family Life After Stroke. Journal of Neuroscience Nursing, 2012. 44(1): p. E1-E13.

#### References by section of the lay version of the report

McCarthy, M.J., et al., Interpersonal relationship challenges among stroke survivors and family caregivers. Social Work in Health Care, 2020. 59(2): p. 91-107.

McCarthy, M.J. and E. Bauer, In Sickness and in Health: Couples Coping with Stroke across the Life Span. Health & Social Work, 2015. 40(3): p. E92-E100.

### Systems of care

Stevens, E., et al., The burden of stroke in Europe. 2017: Brussels.

Luengo-Fernandez, R., et al., At What Cost – the Economic Impact of Stroke in Europe. 2020: Brussels.

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Carmo, J.F.d., et al., Disability after stroke: a systematic review. Fisioterapia em Movimento, 2015. 28: p. 407-418.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Guo, Y., et al., The Unmet Needs of Community-Dwelling Stroke Survivors: A Systematic Review of Qualitative Studies. Int J Environ Res Public Health, 2021. 18(4).

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Barclay, R.E., et al., Interventions for improving community ambulation in individuals with stroke. Cochrane Database of Systematic Reviews, 2015(3).

Fryer, C.E., et al., Self management programmes for quality of life in people with stroke. Cochrane Database Syst Rev, 2016. 2016(8): p. Cd010442.

Zhang, J., et al., Post-stroke medication adherence and persistence rates: a meta-analysis of observational studies. Journal of neurology, 2019: p. 1-9.

Pindus, D.M., et al., Stroke survivors' and informal caregivers' experiences of primary care and community healthcare services - A systematic review and meta-ethnography. PLoS One, 2018. 13(2): p. e0192533.

Sadler, E., et al., Navigating stroke care: the experiences of younger stroke survivors. Disability and Rehabilitation, 2014. 36(22): p. 1911-1917.

Sarre, S., et al., A systematic review of qualitative studies on adjusting after stroke: lessons for the study of resilience. Disability and Rehabilitation, 2014. 36(9): p. 716-726.

Meyer, S., et al., Functional and Motor Outcome 5 Years After Stroke Is Equivalent to Outcome at 2 Months. Stroke, 2015. 46(6): p. 1613-1619.

Pascual, K.J., et al., Evaluating the Impact of Personalized Stroke Management Tool Kits on Patient Experience and Stroke Recovery. Journal of patient experience, 2018. 5(4): p. 244-249.

Sadler, E., et al., Exploring stroke survivors' and physiotherapists' views of self-management after stroke: a qualitative study in the UK. BMJ Open, 2017. 7.

### Stroke Alliance for Europe – needs of stroke survivors and carers scoping review References by section of the lay version of the report

### **Community and social context**

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Wan, X., et al., Effects of peer support interventions on physical and psychosocial outcomes among stroke survivors: A systematic review and meta-analysis. International journal of nursing studies, 2021. 121: p. 104001.

Pike, C., A. Kritzinger, and B. Pillay, Social participation in working-age adults with aphasia: an updated systematic review. Topics in stroke rehabilitation, 2017. 24(8): p. 627-639.

Norlander, A., et al., Living and ageing with stroke: an exploration of conditions influencing participation in social and leisure activities over 15 years. Brain Injury, 2018. 32(7): p. 858-866.

Manning, M., et al., Perspectives of people with aphasia post-stroke towards personal recovery and living successfully: A systematic review and thematic synthesis. PLOS ONE, 2019. 14(3): p. e0214200.

Lee, D., J.L. Heffron, and M. Mirza, Content and Effectiveness of Interventions Focusing on Community Participation Poststroke: A Systematic Review. Archives of physical medicine and rehabilitation, 2019. 100(11): p. 2179.

#### **Built infrastructure**

Lin, B.-L., et al., Unmet care needs of community-dwelling stroke survivors: a systematic review of quantitative studies. BMJ open, 2021. 11(4): p. e045560.

Chen, T., et al., Long-term unmet needs after stroke: systematic review of evidence from survey studies. BMJ open, 2019. 9(5): p. e028137.

Guo, Y., et al., The Unmet Needs of Community-Dwelling Stroke Survivors: A Systematic Review of Qualitative Studies. Int J Environ Res Public Health, 2021. 18(4).

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

#### Laws, policies and regulations

Lehnerer SM, Hotter B, Padberg I, et al. Social support and unmet social needs in life after stroke: a cross-sectional observational study. Research Square; 2019. DOI: 10.21203/rs.2.9386/v1.

Norrving, B., et al., Action plan for stroke in Europe 2018–2030. European Stroke Journal, 2018. 3(4): p. 309-336.

Abrahamson, V. and P.M. Wilson, How unmet are unmet needs post-stroke? A policy analysis of the six-month review. BMC Health Services Research, 2019. 19(1): p. 480.

References by section of the lay version of the report Science, research and society

Stroke Association, Priorities for investment to improve stroke rehabilitation and long-term care. June 2021

https://www.stroke.org.uk/sites/default/files/research/priorities\_for\_investment\_to\_improve\_strok e\_rehabilitation\_and\_long-term\_care.pdf

### **Social environment**

Anderson, S. and K. Whitfield, An Ecological Approach to Activity After Stroke: It Takes a Community. Topics in Stroke Rehabilitation, 2011. 18(5): p. 509-524.

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

### Carers

Zawawi, N.S.M., et al., The Unmet Needs of Stroke Survivors and Stroke Caregivers: A Systematic Narrative Review. J Stroke Cerebrovasc Dis, 2020. 29(8): p. 104875.

Hilton, R., et al., Information, support and training needs of relatives of people with aphasia: Evidence from the literature. Aphasiology, 2014. 28(7): p. 797-822.

Denham, A.M.J., et al., The long-term unmet needs of informal carers of stroke survivors at home: a systematic review of qualitative and quantitative studies. Disabil Rehabil, 2020: p. 1-12.

Hafsteinsdóttir, T.B., et al., Educational needs of patients with a stroke and their caregivers: A systematic review of the literature. Patient Education and Counseling, 2011. 85(1): p. 14-25.